

Tree-Based Construction of LDPC Codes Having Good Pseudocodeword Weights

Christine A. Kelley, *Member, IEEE*, Deepak Sridhara, *Member, IEEE*, and Joachim Rosenthal, *Senior Member, IEEE*

Abstract—We present a tree-based construction of low-density parity-check (LDPC) codes that have minimum pseudocodeword weight equal to or almost equal to the minimum distance, and perform well with iterative decoding. The construction involves enumerating a d -regular tree for a fixed number of layers and employing a connection algorithm based on permutations or mutually orthogonal Latin squares to close the tree. Methods are presented for degrees $d = p^s$ and $d = p^s + 1$, for p a prime. One class corresponds to the well-known finite-geometry and finite generalized quadrangle LDPC codes; the other codes presented are new. We also present some bounds on pseudocodeword weight for p -ary LDPC codes. Treating these codes as p -ary LDPC codes rather than binary LDPC codes improves their rates, minimum distances, and pseudocodeword weights, thereby giving a new importance to the finite-geometry LDPC codes where $p > 2$.

Index Terms—Iterative decoding, low-density parity-check (LDPC) codes, min-sum iterative decoding, p -ary pseudoweight, pseudocodewords.

I. INTRODUCTION

LOW-density parity-check (LDPC) codes are widely acknowledged to be good codes due to their near Shannon-limit performance when decoded iteratively. However, many structure-based constructions of LDPC codes fail to achieve this level of performance, and are often outperformed by random constructions. (Exceptions include the finite-geometry-based LDPC codes (FG-LDPC) of [12], which were later generalized in [19].) Moreover, there are discrepancies between iterative and maximum-likelihood (ML) decoding performance of short-to-moderate block length LDPC codes. This behavior has recently been attributed to the presence of so-called *pseudocodewords* of the LDPC constraint graphs (or, Tanner graphs), which are valid solutions of the iterative

decoder which may or may not be optimal [11]. Analogous to the role of minimum Hamming distance d_{\min} , in ML decoding, the minimum pseudocodeword weight w_{\min} has been shown to be a leading predictor of performance in iterative decoding [26]. Furthermore, the error floor performance of iterative decoding is dominated by minimum-weight pseudocodewords. Although there exist pseudocodewords with weight larger than d_{\min} that have adverse effects on decoding, it has been observed that pseudocodewords with weight $w_{\min} < d_{\min}$ are especially problematic [9].

Most methods for designing LDPC codes are based on random design techniques. However, the lack of structure implied by this randomness presents serious disadvantages in terms of storing and accessing a large parity-check matrix, encoding data, and analyzing code performance. Therefore, by designing codes algebraically, some of these problems can be overcome. In the recent literature, several algebraic methods for constructing LDPC codes have been proposed [24], [12], [22], [8]. These constructions are geared toward optimizing a specific parameter in the design of Tanner graphs—namely, either girth, expansion, diameter, or more recently, stopping sets. In this paper, we consider a more fundamental parameter for designing LDPC codes—namely, pseudocodewords of the corresponding Tanner graphs. While pseudocodewords are essentially stopping sets on the binary erasure channel (BEC) and have been well studied on the BEC in [5], [8], [23], [7], they have received little attention in the context of designing LDPC codes for other channels. The constructions presented in this paper are geared toward maximizing the minimum pseudocodeword weight of the corresponding LDPC Tanner graphs.

The Type I-A construction and certain cases of the Type II construction presented in this paper are designed so that the resulting codes have minimum pseudocodeword weight equal to or almost equal to the minimum distance of the code, and consequently, the problematic low-weight pseudocodewords are avoided. Some of the resulting codes have minimum distance which meets the lower tree bound originally presented in [20]. Since w_{\min} shares the same lower bound [9], [10], and is upper-bounded by d_{\min} , these constructions have $w_{\min} = d_{\min}$. It is worth noting that this property is also a characteristic of some of the FG-LDPC codes [19], and indeed, the projective-geometry-based codes of [12] arise as special cases of our Type II construction. It is worth noting, however, that the tree construction technique is simpler than that described in [12]. Furthermore, the Type I-B construction presented here yields a family

Manuscript received October 3, 2005; revised November 30, 2006. This work was supported in part by the National Science Foundation under Grant CCR-ITR-02-05310 and the Swiss National Science Foundation under Grant 113251. The material in this paper was presented in part at the IEEE International Symposium on Information Theory, Adelaide, Australia, September 2005.

C. A. Kelley was with the Department of Mathematics at the University of Notre Dame, Notre Dame, IN; the Institut für Mathematik at the Universität Zürich, Zurich, Switzerland, and The Fields Institute, Toronto, ON, Canada. She is now with the Department of Mathematics, The Ohio State University, Columbus, OH 43210 USA (e-mail: ckelley@math.ohio-state.edu).

D. Sridhara was with the Institut für Mathematik at the Universität Zürich, Zurich, Switzerland. He is now with Seagate Technology, Pittsburgh 15222 USA (e-mail: deepak.sridhara@seagate.com).

J. Rosenthal is with the Institut für Mathematik at the Universität Zürich, CH-8057, Zürich, Switzerland (e-mail: rosen@math.unizh.ch).

Communicated by M. P. C. Fossorier, Associate Editor for Coding Techniques.

Color versions of Figures 6–11 in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TIT.2007.892774

¹Note that the minimum pseudocodeword weight is specific to the LDPC graph representation of the LDPC code.

of codes with a wide range of rates and block lengths that are comparable to those obtained from finite geometries. This new family of codes has $w_{\min} = d_{\min} \geq \text{tree bound}$ in most cases.

Both min-sum and sum-product iterative decoding performance of the tree-based constructions are comparable to, if not, better than, that of random LDPC codes of similar rates and block lengths. We now present the tree bound on w_{\min} derived in [10].

Definition 1.1: The tree bound of a d left (variable node) regular bipartite LDPC constraint graph with girth g is defined as shown in (1) at the bottom of the page.

Theorem 1.2: Let G be a bipartite LDPC constraint graph with smallest left (variable node) degree d and girth g . Then the minimum pseudocodeword weight w_{\min} (for the additive white Gaussian noise/binary-symmetric (AWGN/BSC) channels) is lower-bounded by

$$w_{\min} \geq T(d, g).$$

This bound is also the tree bound on the minimum distance established by Tanner in [20]. And since the set of pseudocodewords includes all codewords, we have $w_{\min} \leq d_{\min}$.

We derive a pseudocodeword weight definition for the p -ary symmetric channel (PSC), and extend the tree lower bound on w_{\min} for the PSC. The tree-based code constructions are then analyzed as p -ary LDPC codes. Interpreting the tree-based codes as p -ary LDPC codes when the degree is $d = p^s$ or $d = p^s + 1$ yields codes with rates > 0.5 and good distances. The interpretation is also meaningful for the FG-LDPC codes of [12], since the projective geometry codes with $d = p^s + 1, p > 2$ have rate $\frac{1}{n}$ if treated as binary codes and rate > 0.5 if treated as p -ary LDPC codes.

The paper is organized as follows. The following section introduces permutations and mutually orthogonal Latin squares. The Type I constructions are presented in Section III and properties of the resulting codes are discussed. Section IV presents the Type II construction with two variations and the resulting codes are compared with codes arising from finite geometries and finite generalized quadrangles. In Section V, we provide simulation results of the codes on the AWGN channel and on the p -ary symmetric channel. The paper is concluded in Section VI.

II. PRELIMINARIES

A. Permutations

A permutation on set of integers modulo $m, \{0, 1, \dots, m-1\}$ is a bijective map of the form

$$\pi: \{0, 1, \dots, m-1\} \rightarrow \{0, 1, \dots, m-1\}.$$

A permutation is commonly denoted either as

$$\begin{pmatrix} 0 & 1 & 2 & \dots & m-1 \\ \pi(0) & \pi(1) & \pi(2) & \dots & \pi(m-1) \end{pmatrix}$$

or as

$$(a_{11} a_{12} \dots a_{1s_1})(a_{21} a_{22} \dots a_{2s_2}) \dots$$

where $a_{i2} = \pi(a_{i1}), a_{i3} = \pi(a_{i2}), \dots, a_{is_i} = \pi(a_{i,s_i-1}), a_{i1} = \pi(a_{is_i})$ for all i .

As an example, suppose π is a permutation on the set $\{0, 1, 2, 3\}$ given by $\pi(0) = 0, \pi(1) = 2, \pi(2) = 3, \pi(3) = 1$. Then π is denoted as

$$\begin{pmatrix} 0 & 1 & 2 & 3 \\ 0 & 2 & 3 & 1 \end{pmatrix}$$

in the former representation, and as $(0)(123)$ in the latter representation.

B. Mutually Orthogonal Latin Squares (MOLS)

Let $\mathbb{F} = \text{GF}(q)$ be a finite field of order q and let \mathbb{F}^* denote the corresponding multiplicative group, i.e., $\mathbb{F}^* = \mathbb{F} \setminus \{0\}$. For every $a \in \mathbb{F}^*$, we define a $q \times q$ array having entries in \mathbb{F} by the following linear map

$$\begin{aligned} \phi_a : \mathbb{F} \times \mathbb{F} &\rightarrow \mathbb{F} \\ (x, y) &\mapsto x + a \cdot y \end{aligned}$$

where “+” and “ \cdot ” are the corresponding field operations. The above set of maps define $q-1$ mutually orthogonal Latin squares (MOLS) [21, pp. 182–199]. The map ϕ_a can be written as a matrix M_a where the rows and columns of the matrix are indexed by the elements of \mathbb{F} and the (x, y) th entry of the matrix is $\phi_a(x, y)$. By introducing another map ϕ_0 defined in the following manner:

$$\begin{aligned} \phi_0 : \mathbb{F} \times \mathbb{F} &\rightarrow \mathbb{F} \\ (x, y) &\mapsto x \end{aligned}$$

we obtain an additional array M_0 which is orthogonal to the above family of $q-1$ MOLS. However, note that M_0 is not a Latin square. We use this set of q arrays in the subsequent tree-based constructions. As an example, let $\mathbb{F} = \{0, 1, \alpha, \alpha^2\}$ be the finite field with four elements, where α represents the primitive element. Then, from the above set of maps, we obtain the following four orthogonal squares:

$$\begin{aligned} M_0 &:= \begin{bmatrix} 0 & 0 & 0 & 0 \\ 1 & 1 & 1 & 1 \\ \alpha & \alpha & \alpha & \alpha \\ \alpha^2 & \alpha^2 & \alpha^2 & \alpha^2 \end{bmatrix} \\ M_1 &:= \begin{bmatrix} 0 & 1 & \alpha & \alpha^2 \\ 1 & 0 & \alpha^2 & \alpha \\ \alpha & \alpha^2 & 0 & 1 \\ \alpha^2 & \alpha & 1 & 0 \end{bmatrix} \end{aligned}$$

$$T(d, g) := \begin{cases} 1 + d + d(d-1) + d(d-1)^2 + \dots + d(d-1)^{\frac{g-6}{4}}, & \frac{g}{2} \text{ odd} \\ 1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-8}{4}} + (d-1)^{\frac{g-4}{4}}, & \frac{g}{2} \text{ even.} \end{cases} \quad (1)$$




Fig. 1. Type I-A LDPC constraint graph having degree $d = 3$ and girth $g = 10$.

$$M_{\alpha} := \begin{bmatrix} 0 & \alpha & \alpha^2 & 1 \\ 1 & \alpha^2 & \alpha & 0 \\ \alpha & 0 & 1 & \alpha^2 \\ \alpha^2 & 1 & 0 & \alpha \end{bmatrix}$$

$$M_{\alpha^2} := \begin{bmatrix} 0 & \alpha^2 & 1 & \alpha \\ 1 & \alpha & 0 & \alpha^2 \\ \alpha & 1 & \alpha^2 & 0 \\ \alpha^2 & 0 & \alpha & 1 \end{bmatrix}.$$

III. TREE-BASED CONSTRUCTION: TYPE I

In the Type I construction, first a d -regular tree of alternating “variable” and “constraint” node layers is enumerated downwards from a root variable node (layer L_0) for ℓ layers. (The variable nodes and constraint nodes in this tree are merely two different types of vertices that give rise to a bipartition in the graph.) If ℓ is odd (respectively, even), the final layer $L_{\ell-1}$ is composed of variable (respectively, constraint) nodes. Call this tree T . The tree T is then reflected across an imaginary horizontal axis to yield another tree T' , and the variable and constraint nodes are reversed. That is, if layer L_i in T is composed of variable nodes, then the reflection of L_i , call it L'_i , is composed of constraint nodes in the reflected tree T' . The union of these two trees, along with edges connecting the nodes in layers $L_{\ell-1}$ and $L'_{\ell-1}$ according to a connection algorithm that is described next, comprise the graph representing a Type I LDPC code. We now present two connection schemes that can be used in this Type I model, and discuss the resulting codes.

A. Type I-A

Fig. 1 shows a 3-regular girth 10 Type I-A LDPC constraint graph. For $d = 3$, the Type I-A construction yields a d -regular LDPC constraint graph having

$$1 + d + d(d-1) + \dots + d(d-1)^{\ell-2}$$

variable and constraint nodes, and girth g . The tree T has ℓ layers. To connect the nodes in $L_{\ell-1}$ to $L'_{\ell-1}$, first label the variable (respectively, constraint) nodes in $L_{\ell-1}$ (respectively, $L'_{\ell-1}$) when ℓ is odd (and *vice versa* when ℓ is even), as

$$v_0, v_1, \dots, v_{2^{\ell-2}-1},$$

$$v_{2^{\ell-2}}, \dots, v_{2 \cdot 2^{\ell-2}-1},$$

$$v_{2 \cdot 2^{\ell-2}}, \dots, v_{3 \cdot 2^{\ell-2}-1}$$

(respectively, $c_0, c_1, \dots, c_{3 \cdot 2^{\ell-2}-1}$). The nodes $v_0, v_1, \dots, v_{2^{\ell-2}-1}$ form the zeroth class S_0 , the nodes $v_{2^{\ell-2}}, \dots, v_{2 \cdot 2^{\ell-2}-1}$ form the first class S_1 , and the nodes $v_{2 \cdot 2^{\ell-2}}, \dots, v_{3 \cdot 2^{\ell-2}-1}$ form the second class S_2 ; classify the constraint nodes into S'_0, S'_1 , and S'_2 in a similar manner. In addition, define four permutations $\pi(\cdot), \tau(\cdot), \tau'(\cdot), \tau''(\cdot)$ of the set $\{0, 1, \dots, 2^{\ell-2}-1\}$ and connect the nodes in $L_{\ell-1}$ to $L'_{\ell-1}$ as follows. For $j = 0, 1, \dots, 2^{\ell-2}-1$,

- 1) the variable node v_j is connected to nodes $c_{\pi(j)}$ and $c_{\tau(j)+2^{\ell-2}}$;
- 2) the variable node $v_{j+2^{\ell-2}}$ is connected to nodes $c_{\pi(j)+2^{\ell-2}}$ and $c_{\tau'(j)+2 \cdot 2^{\ell-2}}$;
- 3) the variable node $v_{j+2 \cdot 2^{\ell-2}}$ is connected to nodes $c_{\pi(j)+2 \cdot 2^{\ell-2}}$ and $c_{\tau''(j)}$.

TABLE I
 PERMUTATIONS FOR TYPE I-A CONSTRUCTION

Girth	$g = 6$	$g = 8$	$g = 10$	$g = 12$
π	(0)(1)	(0)(2)(1,3)	(0)(2)(4)(6)(1,5)(3,7)	(0)(4)(8)(12)(2,6)(10,14)(1,9)(3,15)(5,13)(7,11)
τ	$= \pi$	$= \pi$	(0)(2)(4)(6)(1,7)(3,5)	(0)(4)(8)(12)(2,6)(10,14)(1,13)(3,11)(5,9)(7,15)
τ'	$= \pi$	$= \pi$	$= \tau$	(0,8)(4,12)(2,14)(6,10)(1,5)(3)(7)(9,13)(11)(15)
τ''	$= \pi$	(0,2)(1)(3)	(0,4)(2,6)(1,3)(5,7)	(0,2,4,6)(8,10,12,14)(1,15,5,11)(3,9,7,13)


The permutations for the cases $g = 6, 8, 10, 12$ are given in Table I. For $\ell = 3, 4, 5, 6$, these permutations yield girths $g = 6, 8, 10, 12$, respectively, i.e., $g = 2\ell$. It is clear that the girth of these graphs is upper-bounded by 2ℓ . What is interesting is that there exist permutations π, τ, τ', τ'' that achieve this upper bound when $\ell \leq 6$. However, when extending this particular construction to $\ell = 7$ layers, there are no permutations π, τ, τ', τ'' that yield a girth $g = 14$ graph. (This was verified by an exhaustive computer search and computing the girths of the resulting graphs using MAGMA [13].) The above algorithm to connect the nodes in layers $L_{\ell-1}$ and $L'_{\ell-1}$ is rather restrictive, and we need to examine other connection algorithms that may possibly yield a girth-14 bipartite graph. However, the smallest known 3-regular graph with girth 14 has 384 vertices [1]. For $\ell = 7$, the graph of the Type I-A construction has a total of 380 nodes (i.e., 190 variable nodes and 190 constraint nodes), and there are permutations π, τ, τ' , and τ'' , that only result in a girth-12 (bipartite) graph.

When $\ell = 3, 5$, the minimum distance of the resulting code meets the tree bound, and hence, $d_{\min} = w_{\min}$. When $\ell = 4, 6$, the minimum distance d_{\min} is strictly larger than the tree bound; in fact, d_{\min} is more than the tree bound by 2. However, $w_{\min} = d_{\min}$ for $\ell = 4, 6$ as well.

Remark 3.1: The Type I-A LDPC codes have $d_{\min} = w_{\min} = T(d, 2\ell)$, for $\ell = 3, 5$, and $d_{\min} = w_{\min} = 2 + T(d, 2\ell)$, for $\ell = 4, 6$.

B. Type I-B

Fig. 2 provides a specific example of a Type I-B LDPC constraint graph with $d = 4 = 2^2$. For $d = p^s$, a prime power, the Type I-B construction yields a d -regular LDPC constraint graph having $1 + d + d(d - 1)$ variable and constraint nodes, and girth at least 6. The tree T has three layers L_0, L_1 , and L_2 . The tree is reflected to yield another tree T' and the variable and constraint nodes in T' are interchanged. Let α be a primitive element in the field $\text{GF}(p^s)$. (Note that $\text{GF}(p^s)$ is the set $\{0, 1, \alpha, \alpha^2, \dots, \alpha^{p^s-2}\}$.) The layer L_1 (respectively, L'_1) contains p^s constraint nodes labeled $(0)_c, (1)_c, (\alpha)_c, \dots, (\alpha^{p^s-2})_c$ (respectively, variable nodes labeled $(0)', (1)', (\alpha)', \dots, (\alpha^{p^s-2})'$). The layer L_2 (respectively, L'_2) is composed of p^s sets $\{S_i\}_{i=0,1,\alpha,\alpha^2,\dots,\alpha^{p^s-2}}$ of $p^s - 1$ variable (respectively, constraint) nodes in each set. Note that we index the sets by an element of the field $\text{GF}(p^s)$. Each set S_i corresponds to the children of one of the branches of the root node. (The “'” in the labeling refers to nodes in the tree T' and the subscript “ c ” refers to constraint nodes.) Let S_i (respectively, S'_i) contain the variable nodes $(i, 1), (i, \alpha), \dots, (i, \alpha^{p^s-2})$ (respectively, constraint nodes


 Fig. 2. Type I-B LDPC constraint graph having degree $d = 4$ and girth

$(i, 1)'_c, (i, \alpha)'_c, \dots, (i, \alpha^{p^s-2})'_c$). To use MOLS of order p^s in the connection algorithm, an imaginary node, variable node $(i, 0)$ (respectively, constraint node $(i, 0)'_c$) is temporarily introduced into each set S_i (respectively, S'_i). The connection algorithm proceeds as follows.

- 1) For $i = 0, 1, \alpha, \dots, \alpha^{p^s-2}$ and $j = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, connect the variable node (i, j) in layer L_2 to the constraint nodes

$$(0, j + i \cdot 0)'_c, (1, j + i \cdot 1)'_c, \dots, (\alpha^{p^s-2}, j + i \cdot \alpha^{p^s-2})'_c$$

in layer L'_2 . (Observe that in these connections, every variable node in the set S_i is mapped to exactly one constraint node in each set S'_k , for $k = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, using the array M_i defined in Section II-B.)

- 2) Delete all imaginary nodes $\{(i, 0), (i, 0)'_c\}_{i=0,1,\dots,\alpha^{p^s-2}}$ and the edges incident on them.
- 3) For $i = 1, \dots, \alpha^{p^s-2}$, delete the edge-connecting variable node $(0, i)$ to constraint node $(0, i)'_c$.

The resulting d -regular constraint graph represents the Type I-B LDPC code.

The Type I-B algorithm yields LDPC codes having a wide range of rates and block lengths that are comparable to, but different from, the two-dimensional LDPC codes from finite Euclidean geometries [12], [19]. The Type I-B LDPC codes are p^s -regular with girth at least 6, block length $N = p^{2s} + 1$, and distance $d_{\min} \geq p^s + 1$. For degrees of the form $d = 2^s$, the resulting binary Type I-B LDPC codes have very good rates, above 0.5, and perform well with iterative decoding. (See Table IV.)

Theorem 3.2: The Type I-B LDPC constraint graphs have a girth of at least 6.

Proof: We need to show that there are no 4-cycles in the graph. By construction, it is clear that there are no 4-cycles that

involve the nodes in layers $L_0, L'_0, L_1,$ and L'_1 . This is because no two nodes, say, variable nodes (i, j) and (i, k) in a particular class S_i are connected to the same node $(s, t)'_c$ in some class S'_s ; otherwise, it would mean that $t = j + i \cdot s = k + i \cdot s$. But this is only true for $j = k$. Therefore, suppose there is a 4-cycle in the graph, then let us assume that variable nodes (i, j) and (s, t) , for $s \neq i$, are each connected to constraint nodes $(a, b)'_c$ and $(e, f)'_c$. By construction, this means that $b = j + i \cdot a = t + s \cdot a$ and $f = j + i \cdot e = t + s \cdot e$. However, then $j - t = (s - i) \cdot a = (s - i) \cdot e$, thereby implying that $a = e$. When $a = e$, we also have $b = j + i \cdot a = j + i \cdot e = f$. Thus, $(a, b)'_c = (e, f)'_c$. Therefore, there are no 4-cycles in the Type I-B LDPC graphs. \square

Theorem 3.3: The Type I-B LDPC constraint graphs with degree $d = p^s$ and girth $g \geq 6$ have

$$\begin{aligned} 2(p^s - 1) &\geq d_{\min} \geq w_{\min} \geq T(p^s, 6) = 1 + p^s, & \text{for } p > 2 \\ 2(p^s) + 1 &\geq d_{\min} \geq w_{\min} \geq T(p^s, 6) = 1 + p^s, & \text{for } p = 2. \end{aligned}$$

Proof: When p is an odd prime, the assertion follows immediately. Consider the following active variable nodes to be part of a codeword: variable nodes $(0, 1), (0, \alpha), \dots, (0, \alpha^{p^s-2})$ in S_0 , and all but the first variable node in the middle layer L'_1 of the reflected tree T' : i.e., variable nodes $(1)', (\alpha)', (\alpha^2)', \dots, (\alpha^{p^s-2})'$ in L'_1 . Clearly, all the constraints in L'_2 are either connected to none or exactly two of these active variable nodes. The root node in T' is connected to $p^s - 1$ (an even number) active variable nodes and the first constraint node in L_1 of T is also connected to $p^s - 1$ active variable nodes. Hence, these $2(p^s - 1)$ active variable nodes form a codeword. This fact along with Theorems 1.2 and 3.2 prove that $2(p^s - 1) \geq d_{\min} \geq w_{\min} \geq T(p^s, 6) = 1 + p^s$.

When $p = 2$, consider the following active variable nodes to be part of a codeword: the root node, variable nodes $(0, 1), (0, \alpha), \dots, (0, \alpha^{p^s-2})$ in S_0 , variable node (α^i, α^i) from S_{α^i} , for $i = 0, 1, 2, \dots, p^s - 2$, and the first two variable nodes in the middle layer of T' (i.e., variable nodes $(0)', (1)'$). Since $p = 2$, $p^s - 1$ is odd. We need to show that all the constraints are satisfied for this choice of active variable nodes. Each constraint node in the layer L_1 of T has an even number of active variable node neighbors: $(0)_c$ has p^s active neighbors, and $(i)_c$, for $i = 1, \alpha, \dots, \alpha^{p^s-2}$, has two, the root node and variable node (i, i) . It remains to check the constraint nodes in T' .

In order to examine the constraints in layer L'_2 of T' , observe that the variable node $(0, \alpha^j)$, for $j = 1, 2, \dots, p^s - 2$, is connected to constraint nodes

$$(1, \alpha^j)'_c, (\alpha, \alpha^j)'_c, \dots, (\alpha^{p^s-2}, \alpha^j)'_c$$

and the variable node (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$, is connected to constraint nodes

$$\begin{aligned} (0, \alpha^i)'_c, (1, \alpha^i + \alpha^i)'_c, (\alpha, \alpha^i + \alpha^{i+1})'_c, \\ \dots, (\alpha^k, \alpha^{i+k})'_c, \dots, (\alpha^{p^s-2}, \alpha^{i+p^s-2})'_c. \end{aligned}$$

Therefore, the constraint nodes $(0, \alpha^j)'_c$, for $j = 1, 2, \dots, p^s - 2$, in S'_0 of L'_2 are connected to exactly one active variable node from layer L_2 , i.e., variable node (α^j, α^j) ; the other active variable node neighbor is variable node $(0)'$ in the middle layer of T' . Thus, all constraints in S'_0 are satisfied.

The constraint nodes $(1, \alpha^j)'_c$, for $j = 1, 2, \dots, p^s - 2$, in S'_1 are each connected to exactly one active variable node from L_2 , i.e., variable node $(0, \alpha^j)$ from S_0 . This is because, all the remaining active variable nodes in L_2 , (α^i, α^i) connect to the imaginary node $(1, 0)'_c$ in S'_1 (since $(1, \alpha^i + \alpha^i)'_c = (1, 0)'_c$ when the characteristic of the field $\text{GF}(p^s)$ is $p = 2$). Thus, all constraint nodes in S'_1 have two active variable node neighbors, the other active neighbor being the variable node $(1)'$ in the middle layer of T' .

Now, let us consider the constraint nodes in S'_{α^k} , for $k = 1, 2, \dots, p^s - 2$. The active variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$ are connected to the following constraint nodes:

$$(\alpha^k, 1 + \alpha^k)'_c, (\alpha^k, \alpha + \alpha^{k+1})'_c, \dots, (\alpha^k, \alpha^{p^s-2} + \alpha^{p^s-2+k})'_c$$

respectively, in class S'_{α^k} . Since $\alpha^r + \alpha^{k+r} \neq \alpha^t + \alpha^{k+t}$ for $r \neq t$, the variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$, connect to distinct nodes in S'_{α^k} . Hence, each constraint node in S'_{α^k} has exactly two active variable node neighbors—one from S_0 and the other from the set $\{(\alpha^i, \alpha^i) \mid i = 0, 1, 2, \dots, p^s - 2\}$.

Finally, we note that the root (constraint) node in T' is connected to two active variable nodes, $(0)'$ and $(1)'$. The total number of active variable nodes is $1 + (p^s - 1) + (p^s - 1) + 2 = 2p^s + 1$. This proves that the set of $2p^s + 1$ active variable nodes forms a codeword, thereby proving the desired bound. \square

When $p > 2$, the upper bound $2(p^s - 1)$ on minimum distance d_{\min} (and possibly also w_{\min}) was met among all the cases of the Type I-B construction we examined. We conjecture that in fact $d_{\min} = 2(p^s - 1)$ for the Type I-B LDPC codes of degree $d = p^s$ when $p > 2$. Since w_{\min} is lower-bounded by $1 + p^s$, we have that w_{\min} is close, if not equal, to d_{\min} .

C. p -ary LDPC Codes

Let H be a parity-check matrix representing a p -ary LDPC code \mathcal{C} . The corresponding LDPC constraint graph G that represents H is an incidence graph of the parity-check matrix as in the binary case. However, each edge of G is now assigned a weight which is the value of the corresponding nonzero entry in H . (In [3], [4], LDPC codes over $\text{GF}(q)$ are considered for transmission over binary modulated channels, whereas in [18], LDPC codes over integer rings are considered for higher order modulation signal sets.)

For convenience, we consider the special case where each of these edge weights are equal to one. This is the case when the parity-check matrix has only zeros and ones. Furthermore, whenever the LDPC graphs have edge weights of unity for all the edges, we refer to such a graph as a binary LDPC constraint graph representing a p -ary LDPC code \mathcal{C} .

We first show that if the LDPC graph corresponding to H is d -left (variable-node) regular, then the same tree bound of Theorem 1.2 holds. That is we have the following.

Lemma 3.4: If G is a d -left regular bipartite LDPC constraint graph with girth g and represents a p -ary LDPC code \mathcal{C} , then, the minimum distance of the p -ary LDPC code \mathcal{C} is lower-bounded as

$$d_{\min} \geq T(d, g).$$

Proof: The proof is essentially the same as in the binary case. Enumerate the graph as a tree starting at an arbitrary variable node. Furthermore, assume that a codeword in \mathcal{C} contains the root node in its support. The root variable node (at layer L_0 of the tree) connects to d constraint nodes in the next layer (layer L_1) of the tree. These constraint nodes are each connected to some sets of variable nodes in layer L_2 , and so on. Since the graph has girth g , the nodes enumerated up to layer $L_{\frac{g-6}{2}}$ when $\frac{g}{2}$ is odd (respectively, $L_{\frac{g-4}{2}}$ when $\frac{g}{2}$ is even) are all distinct. Since the root node belongs to a codeword, say \mathbf{c} , it assumes a nonzero value in \mathbf{c} . Since the constraints must be satisfied at the nodes in layer L_1 , at least one node in layer L_2 for each constraint node in L_1 must assume a nonzero value in \mathbf{c} . (This is under the assumption that an edge weight times a (nonzero) value, assigned to the corresponding variable node, is not zero in the code alphabet. Since we have chosen the edge weights to be unity, such a case will not arise here. But also more generally, such cases will not arise when the alphabet and the arithmetic operations are that of a finite field. However, when working over other structures, such as finite integer rings and more general groups, such cases could arise.) Under the above assumption, that there are at least d variable nodes (i.e., at least one for each node in layer L_1) in layer L_2 that are nonzero in \mathbf{c} . Continuing this argument, it is easy to see that the number of nonzero components in \mathbf{c} is at least $1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-6}{4}}$ when $\frac{g}{2}$ is odd, and $1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-8}{4}} + (d-1)^{\frac{g-4}{4}}$ when $\frac{g}{2}$ is even. Thus, the desired lower bound holds. \square

We note here that in general this lower bound is not met and typically p -ary LDPC codes that have the above graph representation have minimum distances larger than the above lower bound.

Recall from [9], [11], that a pseudocodeword of an LDPC constraint graph G is a valid codeword in some finite cover of G . To define a pseudocodeword for a p -ary LDPC code, we will restrict the discussion to LDPC constraint graphs that have edge weights of unity among all their edges—in other words, binary LDPC constraint graphs that represent p -ary LDPC codes. A finite cover of a graph is defined in a natural way as in [11], where all edges in the finite cover also have an edge weight of unity. For the rest of this section, let G be an LDPC constraint graph of a p -ary LDPC code \mathcal{C} of block length n , and let the weights on every edge of G be unity. We define a pseudocodeword F of G as an $n \times p$ matrix of the form

$$F = \begin{bmatrix} f_{0,0} & f_{0,1} & f_{0,2} & \cdots & f_{0,p-1} \\ f_{1,0} & f_{1,1} & f_{1,2} & \cdots & f_{1,p-1} \\ \vdots & \vdots & \vdots & \vdots & \vdots \\ f_{n-1,0} & f_{n-1,1} & f_{n-1,2} & \cdots & f_{n-1,p-1} \end{bmatrix}$$

where the pseudocodeword F forms a valid codeword $\hat{\mathbf{c}}$ in a finite cover \hat{G} of G and $f_{i,j}$ is the fraction of variable nodes in




Fig. 3. A p -ary symmetric channel.

the i th variable cloud, for $0 \leq i \leq n - 1$, of \hat{G} that have the assignment (or, value) equal to j , for $0 \leq j \leq p - 1$, in $\hat{\mathbf{c}}$.

A p -ary symmetric channel is shown in Fig. 3. The input and the output of the channel are random variables belonging to a p -ary alphabet that can be denoted as $\{0, 1, 2, \dots, p - 1\}$. An error occurs with probability ϵ , which is parameterized by the channel, and in the case of an error, it is equally probable for an input symbol to be altered to any one of the remaining symbols.

Following the definition of pseudoweight for the BSC [6], we provide the following definition for the weight of a pseudocodeword on the p -ary symmetric channel. For a pseudocodeword F , let F' be the submatrix obtained by removing the first column in F . (Note that the first column in F contains the entries $f_{0,0}, f_{1,0}, f_{2,0}, \dots, f_{n-1,0}$.) Then the weight of a pseudocodeword F on the p -ary symmetric channel is defined as follows.

Definition 3.5: Let e be a number such that the sum of the e largest components in the matrix F' , say, $f_{i_1,j_1}, f_{i_2,j_2}, \dots, f_{i_e,j_e}$, exceeds $\sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0})$. Then the weight of F on the p -ary symmetric channel is defined as shown at the bottom of the page.

Note that in the definition at the bottom of the page, none of the j_k 's, for $k = 1, 2, \dots, e$, are equal to zero, and all the i_k 's, for $k = 1, 2, \dots, e$, are distinct. That is, we choose at most one component in every row of F' when picking the e largest components. (See the Appendix for an explanation on the above definition of “weight.”) Observe that for a codeword, the above weight definition reduces to the Hamming weight. If F represents a codeword \mathbf{c} , then exactly $w = \text{wt}_H(\mathbf{c})$, the Hamming weight of \mathbf{c} , rows in F' contain the entry 1 in some column, and the remaining entries in F' are 0. Furthermore, the matrix F has the entry 0 in the first column of these w rows and has the entry 1 in the first column of the remaining rows. Therefore, from the weight definition of F , $e = \frac{w}{2}$ and the weight of F is $2e = w$.

We define the p -ary minimum pseudocodeword weight of G (or, minimum pseudoweight) as in the binary case, i.e., as the minimum weight of a pseudocodeword among all finite covers of G , and denote this as $w_{\min}(G)$ or w_{\min} when it is clear that we are referring to the graph G .

$$w_{\text{PSC}}(F) = \begin{cases} 2e, & \text{if } f_{i_1,j_1} + \dots + f_{i_e,j_e} = \sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0}) \\ 2e - 1, & \text{if } f_{i_1,j_1} + \dots + f_{i_e,j_e} > \sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0}). \end{cases}$$

Lemma 3.6: Let G be a d -left regular bipartite graph with girth g that represents a p -ary LDPC code \mathcal{C} . Then the minimum pseudocodeword weight w_{\min} on the p -ary symmetric channel is lower bounded as shown at the bottom of the page.

The proof of this result is moved to the Appendix. We note that, in general, this bound is rather loose. (The inequality in (3), in the proof of Lemma 3.6, is typically not tight.) Moreover, we expect that p -ary LDPC codes to have larger minimum pseudocodeword weights than *corresponding binary LDPC codes*. By *corresponding binary LDPC codes* we mean the codes obtained by interpreting the given LDPC constraint graph as one representing a binary LDPC code.

D. P -ary Type I-B LDPC Codes

Theorem 3.7: For degree $d = p^s$, the resulting Type I-B LDPC constraint graphs of girth g that represent p -ary LDPC codes have minimum distance and minimum pseudocodeword weight

$$2p^s + 1 \geq d_{\min} \geq w_{\min} \geq T(d, g).$$

Proof: Consider as active variable nodes the root node, all the variable nodes in S_0 , the variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$, the first variable node $(0)'$ in the middle layer of T' , and one other variable node $(y)'$, that we will ascertain later, in the middle layer of T' .

Since the code is p -ary (and $p > 2$), assign the value 1 to the root variable node and to all the active variable nodes in S_0 . Assign the value $p - 1$ to the remaining active variable nodes in L_2 (i.e., nodes (α^i, α^i) , $i = 0, 1, 2, \dots, p^s - 2$). Assign the value 1 for the variable node $(0)'$ in the middle layer of T' and assign the value $p - 1$ for the variable node $(y)'$ in the middle layer of T' . We choose y in the following manner.

The variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$, are connected to the following constraint nodes:

$$(\alpha^k, 1 + \alpha^k)'_c, (\alpha^k, \alpha + \alpha^{k+1})'_c, \dots, (\alpha^k, \alpha^j + \alpha^{k+j})'_c, \dots, (\alpha^k, \alpha^{p^s-2} + \alpha^{k+p^s-2})'_c$$

respectively, in class S_{α^k} . Either the above set of constraint nodes are all distinct, or they are all equal to $(\alpha^k, 0)'_c$. This is because, $\alpha^r + \alpha^{r+k} = \alpha^t + \alpha^{t+k}$ if and only if either, $r = t$ or $1 + \alpha^k = 0$. So there is only one $k \in \{0, 1, 2, \dots, p^s - 2\}$, for which $1 + \alpha^k = 0$, and for that value of k , we set $y = \alpha^k$.

From the proof of Theorem 3.3 and the above assignment, it is easily verified that each constraint node has value zero when the sum of the incoming active nodes is taken modulo p . Thus, the set of $2p^s + 1$ active variable nodes forms a codeword, and therefore, $d_{\min} \leq 2p^s + 1$. Hence, from Lemmas 3.4 and 3.6, we have $T(d, 6) \leq w_{\min} \leq d_{\min} \leq 2p^s + 1$. \square

It is also observed that if the codes resulting from the Type I-B construction are treated as p -ary codes rather than binary codes when the corresponding degree in the LDPC graph is $d = p^s$,

then the rates obtained are also > 0.5 (see Table IV). We also believe that the minimum pseudocodeword weights (on the p -ary symmetric channel) are much closer to the minimum distances for these p -ary LDPC codes.

IV. TREE-BASED CONSTRUCTION: TYPE II

In the Type II construction, first a d -regular tree T of alternating variable and constraint node layers is enumerated from a root variable node (layer L_0) for ℓ layers $L_0, L_1, \dots, L_{\ell-1}$, as in Type I. The tree T is not reflected; rather, a single layer of $(d - 1)^{\ell-1}$ nodes is added to form layer L_ℓ . If ℓ is odd (respectively, even), this layer is composed of constraint (respectively, variable) nodes. The union of T and L_ℓ , along with edges connecting the nodes in layers $L_{\ell-1}$ and L_ℓ according to a connection algorithm that is described next, comprise the graph representing a Type II LDPC code. We present the connection scheme that is used for this Type II model, and discuss the resulting codes. First, we state this rather simple observation without proof:

The girth g of a Type II LDPC graph for ℓ layers is at most 2ℓ .

The connection algorithm for $\ell = 3$ and $\ell = 4$, wherein this upper bound on girth is in fact achieved, is as follows.

A. $\ell = 3$

Fig. 4 provides an example of a Type II LDPC constraint graph for $\ell = 3$ layers, with degree $d = 4 = 3 + 1$ and girth $g = 6$. For $d = p^s + 1$, where p is prime and s a positive integer, a d -regular tree is enumerated from a root (variable) node for $\ell = 3$ layers L_0, L_1, L_2 . Let α be a primitive element in the field $\text{GF}(p^s)$. The d constraint nodes in L_1 are labeled $(x)_c, (0)_c, (1)_c, (\alpha)_c, \dots, (\alpha^{p^s-2})_c$ to represent the d branches stemming from the root node. Note that the first constraint node is denoted as $(x)_c$ and the remaining constraint nodes are indexed by the elements of the field $\text{GF}(p^s)$. The $d(d - 1)$ variable nodes in the third layer L_2 are labeled as follows: the variable nodes descending from constraint node $(x)_c$ form the class S_x and are labeled $(x, 0), (x, 1), \dots, (x, \alpha^{p^s-2})$, and the variable nodes descending from constraint node $(i)_c$, for $i = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, form the class S_i and are labeled $(i, 0), (i, 1), \dots, (i, \alpha^{p^s-2})$.

A final layer $L_\ell = L_3$ of $(d - 1)^{\ell-1} = p^{2s}$ constraint nodes is added. The p^{2s} constraint nodes in L_3 are labeled

$$(0, 0)'_c, (0, 1)'_c, \dots, (0, \alpha^{p^s-2})'_c, (1, 0)'_c, (1, 1)'_c, \dots, (1, \alpha^{p^s-2})'_c, \dots, (\alpha^{p^s-2}, 0)'_c, (\alpha^{p^s-2}, 1)'_c, \dots, (\alpha^{p^s-2}, \alpha^{p^s-2})'_c.$$

(Note that the “'” in the labeling refers to nodes in that are not in the tree T and the subscript “ c ” refers to constraint nodes.)

- 1) By this labeling, the constraint nodes in L_3 are grouped into $d - 1 = p^s$ classes of $d - 1 = p^s$ nodes in each

$$w_{\min} \geq T(d, g) = \begin{cases} (1 + d + d(d - 1) + d(d - 1)^2 + \dots + d(d - 1)^{\frac{g-6}{4}}), & \frac{g}{2} \text{ odd} \\ (1 + d + d(d - 1) + \dots + d(d - 1)^{\frac{g-8}{4}} + (d - 1)^{\frac{g-4}{4}}), & \frac{g}{2} \text{ even.} \end{cases}$$




Fig. 4. Type II LDPC constraint graph having degree $d = 4$ and girth $g = 6$.

class. Similarly, the variable nodes in L_2 are grouped into $d = p^s + 1$ classes of $d - 1 = p^s$ nodes in each class. (That is, the i th class of constraint nodes is $S'_i = \{(i, 0)'_c, (i, 1)'_c, \dots, (i, \alpha^{p^s-2})'_c\}$.)

- 2) The variable nodes descending from constraint node $(x)_c$ are connected to the constraint nodes in L_3 as follows. Connect the variable node (x, i) , for $i = 0, 1, \dots, \alpha^{p^s-2}$, to the constraint nodes

$$(i, 0)'_c, (i, 1)'_c, \dots, (i, \alpha^{p^s-2})'_c.$$

- 3) The remaining variable nodes in layer L_2 are connected to the nodes in L_3 as follows: Connect the variable node (i, j) , for $i = 0, 1, \dots, \alpha^{p^s-2}$, $j = 0, 1, \dots, \alpha^{p^s-2}$, to the constraint nodes

$$(0, j + i \cdot 0)'_c, (1, j + i \cdot 1)'_c, (\alpha, j + i \cdot \alpha)'_c, \\ \dots, (\alpha^{p^s-2}, j + i \cdot \alpha^{p^s-2})'_c.$$

Observe that in these connections, each variable node (i, j) is connected to exactly one constraint node within each class, using the array M_i defined in Section II-B.

In the example illustrated in Fig. 4, the arrays used for constructing the Type II LDPC constraint graph are²

$$M_0 = \begin{bmatrix} 0 & 0 & 0 \\ 1 & 1 & 1 \\ 2 & 2 & 2 \end{bmatrix} \\ M_1 = \begin{bmatrix} 0 & 1 & 2 \\ 1 & 2 & 0 \\ 2 & 0 & 1 \end{bmatrix} \\ M_2 = \begin{bmatrix} 0 & 2 & 1 \\ 1 & 0 & 2 \\ 2 & 1 & 0 \end{bmatrix}.$$

The ratio of minimum distance to block length of the resulting codes is at least $\frac{2+p^s}{1+p^s+p^{2s}}$, and the girth is 6. For degrees d of

²Note that in this example, $\text{GF}(3) = \{0, 1, 2\}$, “2” being the primitive element of the field.

the form $d = 2^s + 1$, the tree bound of Theorem 1.2 on minimum distance and minimum pseudocodeword weight [20], [10] is met, i.e., $d_{\min} = w_{\min} = 2 + 2^s$, for the Type II, $\ell = 3$, LDPC codes. For $p > 2$, the resulting binary LDPC codes are repetition codes of the form $[n, 1, n]$, i.e., $d_{\min} = n = 1 + p^s + p^{2s}$ and the rate is $\frac{1}{n}$. However, if we interpret the Type II $\ell = 3$ graphs, that have degree $d = p^s + 1$, as the LDPC constraint graph of a p -ary LDPC code, then the rates of the resulting codes are very good and the minimum distances come close to (but are not equal to) the tree bound in Lemma 3.4 (see also [17]). In summary, we state the following results.

- The rate of a p -ary Type II, $\ell = 3$ LDPC code is

$$\frac{p^{2s} + p^s - \frac{p^s(p+1)^s}{2^s}}{p^{2s} + p^s + 1}$$

[14].

- The rate of a binary Type II, $\ell = 3$ LDPC code is $\frac{1}{n}$ for $p > 2$.

Note that binary codes with $p = 2$ are a special case of p -ary LDPC codes. Moreover, the rate expression for p -ary LDPC codes is meaningful for a wide variety of p 's and s 's. The rate expression for binary codes with $p > 2$ can be seen by observing that any t rows of the corresponding parity-check matrix H is linearly independent if $t < n$. Since the parity-check matrix is equivalent to one obtainable from cyclic difference sets, this can be proven by showing that for any $t < n$, there exists a set of t consecutive positions in the first row of H that has an odd number of ones.

B. Relation to Finite-Geometry Codes

The codes that result from this $\ell = 3$ construction correspond to the two-dimensional projective-geometry-based LDPC (PG-LDPC) codes of [19]. We state the equivalence of the tree construction and the finite projective geometry based LDPC codes in the following.

Theorem 4.1: The LDPC constraint graph obtained from the Type II $\ell = 3$ tree construction for degree $d = p^s + 1$ is equivalent to the incidence graph of the finite projective plane over the field $\text{GF}(p^s)$.

It has been proved by Bose [2] that a finite projective plane (in other words, a two-dimensional finite projective geometry) of order m exists if and only if a complete family of orthogonal $m \times m$ Latin squares exists. The proof of this result, as presented in [16], gives a constructive algorithm to design a finite projective plane of order m from a complete family of $m \times m$ MOLS. It is well known that a complete family of MOLS exists when $m = p^s$, a power of a prime, and we have described one such family in Section II. Hence, the constructive algorithm in [16] generates the incidence graph of the projective plane $\text{PG}(2, p^s)$ from the set of $p^s - 1$ MOLS of order p^s . The only remaining step is to verify that the incidence matrix of points over lines of this projective plane is the same as the parity-check matrix of variable nodes over constraint nodes of the tree-based LDPC constraint graph of the tree construction. This step is easy to verify as the constructive algorithm in [16] is analogous to the tree construction presented in this paper.

The Type II $\ell = 3$ graphs therefore correspond to the two-dimensional PG-LDPC codes of [12]. With a little modification of the Type II construction, we can also obtain the two-dimensional Euclidean-geometry-based LDPC (EG-LDPC) codes of [12], [19]. Since a two-dimensional Euclidean geometry may be obtained by deleting certain points and line(s) of a two-dimensional projective geometry, the graph of a two-dimensional EG-LDPC code [19] may be obtained by performing the following operations on the Type II, $\ell = 3$ graph.

- 1) In the tree T , the root node along with its neighbors, i.e., the constraint nodes in layer L_1 , are deleted.
- 2) Consequently, the edges from the constraint nodes $(x)_c, (0)_c, (1)_c, \dots, (\alpha^{p^s-2})_c$ to layer L_2 are also deleted.
- 3) At this stage, the remaining variable nodes have degree p^s , and the remaining constraint nodes have degree $p^s + 1$. Now, a constraint node from layer L_3 is chosen, say, constraint node $(0, 0)'_c$. This node and its neighboring variable nodes and the edges incident on them are deleted. Doing so removes exactly one variable node from each class of L_2 , and the degrees of the remaining constraint nodes in L_3 are lessened by one. Thus, the resulting graph is now p^s -regular with a girth of 6, has $p^{2s} - 1$ constraint and variable nodes, and corresponds to the two-dimensional EG-LDPC code EG $(2, p^s)$ of [19].

Theorem 4.2: The Type II $\ell = 3$ LDPC constraint graphs have girth $g = 6$ and diameter $\delta = 3$.

Proof: We need to show is that there are no 4-cycles in the graph. As in the proof of Theorem 3.2, by construction, there are no 4-cycles that involve the nodes in layers L_0 and L_1 . This is because, first, no two variable nodes in the first class $S_x = \{(x, 0), (x, 1), \dots, (x, \alpha^{p^s-2})\}$ are connected to the same constraint node. Next, if two variable nodes, say, (i, j) and (i, k) in the i th class S_i , for some $i \neq x$, are connected to a constraint node $(s, t)'_c$, then it would mean that $t = j + i \cdot s = k + i \cdot s$. But this is only true for $j = k$. Hence, there is no 4-cycle of the form $(i)_c \rightarrow (i, j) \rightarrow (s, t)'_c \rightarrow (i, k) \rightarrow (i)$. Therefore, suppose there is a 4-cycle in the graph, then let us consider two cases as follows. Case 1: Assume that variable nodes (i, j) and (s, t) , for $i \neq s$ and $i \neq x \neq s$, are each connected to constraint nodes $(a, b)'_c$ and $(e, f)'_c$. By construction, this means that

$b = j + i \cdot a = t + s \cdot a$ and $f = j + i \cdot e = t + s \cdot e$. This implies that $j - t = (s - i) \cdot a = (s - i) \cdot e$, thereby implying that $a = e$. Consequently, we also have $b = j + i \cdot a = j + i \cdot e = f$. Thus, $(a, b)'_c = (e, f)'_c$. Case 2: Assume that two variable nodes, one in S_x , say, (x, j) , and the other in S_i (for $i \neq x$), say, (i, k) , are connected to constraint nodes $(a, b)'_c$ and $(e, f)'_c$. Then this would mean that $a = e = j$. But since (i, k) connects to exactly one constraint node whose first index is j , this case is not possible. Thus, there are no 4-cycles in the Type II- $\ell = 3$ LDPC graphs.

To show that the girth is exactly 6, we see that the following nodes form a 6-cycle in the graph: the root-node, the first two constraint nodes $(x)_c$ and $(1)_c$ in layer L_1 , variable nodes $(x, 0)$ and $(0, 0)$ in layer L_2 , and the constraint node $(0, 0)'_c$ in layer L_3 .

To prove the diameter, we first observe that the root node is at distance of at most 3 from any other node. Similarly, it is also clear that the nodes in layer L_1 are at a distance of at most 3 from any other node. Therefore, it is only necessary to show that any two nodes in layer L_2 are at most distance 2 apart and similarly show that any two nodes in L_3 are at most distance 2 apart. Consider two nodes (i, j) and (s, t) in L_2 . If $s = i$, then clearly, there is a path of length 2 via the parent node $(i)_c$. If $s \neq i$ and $s \neq x \neq i$, then by the property of a complete family of orthogonal Latin squares there is a node $(a, b)'_c$ in L_3 such that $b = j + i \cdot a = t + s \cdot a$. This implies that (i, j) and (s, t) are connected by a distance-2 path via $(a, b)'_c$. We can similarly show that if $s \neq i$ and $i = x$, then the node $(j, t + s \cdot j)'_c$ in L_3 connects to both (x, j) and (s, t) . A similar argument shows that any two nodes in L_3 are distance two apart. This completes the proof. \square

Theorem 4.3: For degrees $d = 2^s + 1$, the resulting Type II $\ell = 3$ LDPC constraint graphs have

$$d_{\min} = w_{\min} = T(d, 6) = 2 + 2^s.$$

For degrees $d = p^s + 1, p > 2$, when the resulting Type II $\ell = 3$ LDPC constraint graphs represent p -ary linear codes, the corresponding minimum distance and minimum pseudocodeword weight satisfy

$$T(p^s + 1, 6) \leq w_{\min} \leq d_{\min} \leq 2p^s.$$

Proof: Let us first consider the case $p = 2$. We will show that the following set of active variable nodes in the Type II $\ell = 3$ LDPC constraint graph form a minimum-weight codeword: the root (variable) node, variable nodes

$$(x, 0), (0, 0), (1, \alpha^{p^s-2}), (\alpha, \alpha^{p^s-3}), (\alpha^2, \alpha^{p^s-4}), \dots, (\alpha^i, \alpha^{p^s-2-i}), \dots, (\alpha^{p^s-2}, 1)$$

in layer L_2 .

It is clear from this choice that there is exactly one active variable node from each class in layer L_2 . Therefore, all the constraint nodes at layer L_1 are satisfied. The constraint nodes in the first class S'_0 of L_3 are $(0, 0)'_c, (0, 1)'_c, \dots, (0, \alpha^{p^s-2})'_c$. The constraint node $(0, 0)'_c$ is connected to $(x, 0)$ and $(0, 0)$, and the

constraint node $(0, \alpha^i)'_c$, for $i = 0, 1, 2, \dots, p^s - 2$, is connected to variable nodes $(x, 0)$ and $(\alpha^i, \alpha^{p^s-2-i})$. Thus, all constraint nodes in S'_0 are satisfied. Let us consider the constraint nodes in class S'_{α^i} , for $i \in \{0, 1, 2, \dots, p^s - 2\}$. The variable node $(0, 0)$ connects to the constraint node $(\alpha^i, 0)'_c$ in S'_{α^i} . The variable node $(1, \alpha^{p^s-2})$ connects to the constraint node $(\alpha^i, \alpha^{p^s-2} + \alpha^i)'_c$ in S'_{α^i} , and in general, for $j = 0, 1, 2, \dots, p^s - 2$, the variable node $(\alpha^j, \alpha^{p^s-2-j})$ connects to the constraint node $(\alpha^i, \alpha^{p^s-2-j} + \alpha^{i+j})'_c$ in S'_{α^i} . So enumerating all the constraint nodes in S'_{α^i} , with multiplicities that are connected to an active variable node in L_2 , we obtain

$$\begin{aligned} &(\alpha^i, 0)'_c, (\alpha^i, \alpha^{p^s-2} + \alpha^i)'_c, (\alpha^i, \alpha^{p^s-3} + \alpha^{i+1})'_c, \\ &\dots, (\alpha^i, \alpha^{p^s-(p^s-i-1)} + \alpha^{p^s-3})'_c, (\alpha^i, \alpha^{p^s-(p^s-i)} \\ &\quad + \alpha^{p^s-2})'_c, \dots \end{aligned}$$

Simplifying the exponents and rewriting this list, we see that, when i is odd, the constraint nodes are $(\alpha^i, 0)'_c, (\alpha^i, \alpha^{p^s-2} + \alpha^i)'_c, (\alpha^i, \alpha^{p^s-3} + \alpha^{i+1})'_c, \dots, (\alpha^i, \alpha^{i+1} + \alpha^{p^s-3})'_c, (\alpha^i, \alpha^i + \alpha^{p^s-2})'_c, (\alpha^i, \alpha^{i-1} + 1)'_c, (\alpha^i, \alpha^{i-2} + \alpha)'_c, \dots, (\alpha^i, \alpha^{(i-1)/2} + \alpha^{(i-1)/2})'_c, \dots, (\alpha^i, \alpha + \alpha^{i-2})'_c, (\alpha^i, 1 + \alpha^{i-1})'_c$. (When i is even, the constraint nodes are $(\alpha^i, 0)'_c, (\alpha^i, \alpha^{p^s-2} + \alpha^i)'_c, (\alpha^i, \alpha^{p^s-3} + \alpha^{i+1})'_c, \dots, (\alpha^i, \alpha^{(p^s-2+i)/2} + \alpha^{(p^s-2+i)/2})'_c, \dots, (\alpha^i, \alpha^{i+1} + \alpha^{p^s-3})'_c, (\alpha^i, \alpha^i + \alpha^{p^s-2})'_c, (\alpha^i, \alpha^{i-1} + 1)'_c, (\alpha^i, \alpha^{i-2} + \alpha)'_c, \dots, (\alpha^i, \alpha^i + \alpha^{i-1})'_c, (\alpha^i, \alpha^{i-1} + \alpha^i)'_c, \dots, (\alpha^i, 1 + \alpha^{i-1})'_c$.) (Note that for $\beta \in \text{GF}(p^s), \beta + \beta = 0$ when the characteristic of the field $\text{GF}(p^s)$ is two (i.e., $p = 2$)).

Observe that each of the constraint nodes in the above list appears exactly twice. Therefore, each constraint node in the list is connected to two active variable nodes in L_2 , and hence, all the constraints in S'_{α^i} are satisfied. So we have that the set of $1 + 2^s + 1$ active variable nodes forms a codeword. Furthermore, they must form a minimum-weight codeword since $d_{\min} \geq 2 + 2^s = T(2^s + 1, 6)$ by the tree bound of Theorem 1.2. This also proves that $d_{\min} = w_{\min} = T(d, 6)$ for $d = 2^s + 1$.

Now let us consider the case $p > 2$. The resulting codes are treated as p -ary codes. Consider the following set of active variable nodes: the root node, all but one of the nodes (x, y) , for an appropriately chosen y , in class S_x , and the nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$. We have chosen $2p^s$ active variable nodes in all.

The variable nodes $(1, 1), (\alpha, \alpha), \dots, (\alpha^{p^s-2}, \alpha^{p^s-2})$ are connected to constraint nodes

$$\begin{aligned} &(\alpha^k, 0)'_c, (\alpha^k, 1 + \alpha^k)'_c, (\alpha^k, \alpha + \alpha^{k+1})'_c, \\ &\dots, (\alpha^k, \alpha^j + \alpha^{k+j})'_c, \dots, (\alpha^k, \alpha^i + \alpha^{k+p^s-2})'_c \end{aligned}$$

respectively, in class S'_{α^k} of constraint nodes in layer L_3 . These nodes are either all distinct or all equal to $(\alpha^k, 0)'_c$ since $\alpha^r + \alpha^{k+r} = \alpha^t + \alpha^{k+t}$ if and only if either $r = t$ or $1 + \alpha^k = 0$. Since $1 + \alpha^k$ is zero for exactly one value of $k \in \{0, 1, 2, \dots, p^s - 2\}$, we have that the variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$, are connected to distinct constraint nodes in all but one class $S_{\alpha^{k^*}}$ and that, in $S_{\alpha^{k^*}}$, they are all connected to the constraint node $(\alpha^{k^*}, 0)'_c$. (Note that k^*

satisfies $1 + \alpha^{k^*} = 0$.) We let $y = \alpha^{k^*}$. Therefore, the set of active variable nodes includes all nodes of the form (x, t) , for $t = 0, 1, \alpha, \alpha^2, \dots$, excluding node (x, y) .

Since the code is p -ary, assign the following values to the chosen set of active variable nodes: assign the value 1 to the root variable node and to all the active variable nodes in class S_x , and assign the value $p - 1$ to the active variable nodes (α^i, α^i) , for $i = 0, 1, 2, \dots, p^s - 2$. It is now easy to verify that all the constraints are satisfied. Thus, $d_{\min} \leq 2p^s$. From Theorem 4.2 and Lemmas 3.4 and 3.6, we have $T(p^s + 1, 6) \leq w_{\min} \leq d_{\min} \leq 2p^s$. \square

For degrees $d = p^s + 1, p > 2$, treating the Type II $\ell = 3$ LDPC constraint graphs as binary LDPC codes, yields $[n, 1, n]$ repetition codes, where $n = p^{2s} + p^s + 1, d_{\min} = n$, and dimension is 1. However, when the Type II $\ell = 3$ LDPC constraint graphs, for degrees $d = p^s + 1, p > 2$, are treated as p -ary LDPC codes, we believe that the distance $d_{\min} \geq p^s + 3$, and that this bound is in fact tight. We also suspect that the minimum pseudocodeword weights (on the p -ary symmetric channel) are much closer to the minimum distances for these p -ary LDPC codes.

C. $\ell = 4$

Fig. 5 provides an example of a Type II $\ell = 4$ LDPC constraint graph with degree $d = 2 + 1 = 3$ and girth $g = 8$. For $d = p^s + 1, p$ a prime and s a positive integer, a d regular tree T is enumerated from a root (variable) node for $\ell = 4$ layers L_0, L_1, L_2, L_3 .

- 1) The nodes in L_0, L_1 , and L_2 labeled as in the $\ell = 3$ case. The constraint nodes in L_3 are labeled as follows: The constraint nodes descending from variable node (x, j) , for $j = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, are labeled

$$(x, j, 0)_c, (x, j, 1)_c, \dots, (x, j, \alpha^{p^s-2})_c$$

the constraint nodes descending from variable node (i, j) , for $i, j = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, are labeled

$$(i, j, 0)_c, (i, j, 1)_c, \dots, (i, j, \alpha^{p^s-2})_c.$$

- 2) A final layer $L_\ell = L_4$ of $(d - 1)^{\ell-1} = p^{3s}$ variable nodes is introduced. The p^{3s} variable nodes in L_4 are labeled as

$$\begin{aligned} &(0, 0, 0)', (0, 0, 1)', \dots, (0, 0, \alpha^{p^s-2})', \\ &(0, 1, 0)', (0, 1, 1)', \dots, (0, 1, \alpha^{p^s-2})', \dots, (\alpha^{p^s-2}, 0, 0)', \\ &(\alpha^{p^s-2}, 0, 1)', \dots, (\alpha^{p^s-2}, 0, \alpha^{p^s-2})', \\ &\dots, (\alpha^{p^s-2}, \alpha^{p^s-2}, 0)', \\ &(\alpha^{p^s-2}, \alpha^{p^s-2}, 1)', \dots, (\alpha^{p^s-2}, \alpha^{p^s-2}, \alpha^{p^s-2})'. \end{aligned}$$

(Note that the “'” in the labeling refers to nodes that are not in the tree T and the subscript “ c ” refers to constraint nodes.)

- 3) For $0 \leq i \leq p^s - 1, 0 \leq j \leq p^s - 1$, connect the constraint node $(x, i, j)_c$ to the variable nodes

$$(i, j, 0)', (i, j, 1)', (i, j, \alpha)', \dots, (i, j, \alpha^{p^s-2})'.$$




Fig. 5. Type II LDPC constraint graph having degree $d = 3$ and girth $g = 8$. (Shaded nodes highlight a minimum-weight codeword.) $g = 6$.

4) To connect the remaining constraint nodes in L_3 to the variable nodes in L_4 , we first define a function f . For $i, j, k, t = 0, 1, \alpha, \dots, \alpha^{p^s-2}$ let

$$f : \mathbb{F} \times \mathbb{F} \times \mathbb{F} \times \mathbb{F} \rightarrow \mathbb{F}$$

$$(i, j, k, t) \mapsto y$$

be an appropriately chosen function, that we will define later for some specific cases of the Type II $\ell = 4$ construction. Then, for $i, j, k = 0, 1, \alpha, \dots, \alpha^{p^s-2}$, connect the constraint node $(i, j, k)_c$ in L_3 to the following variable nodes in L_4 :

$$(0, k + i \cdot 0, f(i, j, k, 0))', (1, k + i \cdot 1, f(i, j, k, 1))',$$

$$(\alpha, k + i \cdot \alpha, f(i, j, k, \alpha))',$$

$$\dots, (\alpha^{p^s-2}, k + i \cdot \alpha^{p^s-2}, f(i, j, k, \alpha^{p^s-2}))'.$$

(Observe that the second index corresponds to the linear map defined by the array M_i defined in Section II-B. Further, note that if $f(i, j, k, t) = j + i \cdot t$, then the resulting graphs obtained from the above set of connections have girth at least 6. However, there are other functions $f(i, j, k, t)$ for which the resulting graphs have girth exactly 8, which is the best possible when $\ell = 4$ in this construction. At this point, we do not have a closed-form expression for the function f and we only provide details for specific cases below. (These cases were verified using the MAGMA software [13].)

The Type II, $\ell = 4$, LDPC codes have girth 8, minimum distance $d_{\min} \geq 2(p^s + 1)$, and block length $N = 1 + p^s + p^{2s} + p^{3s}$. (We believe that the tree bound on the minimum distance is met for most of the Type II, $\ell = 4$, codes, i.e., $d_{\min} = w_{\min} = 2(p^s + 1)$.) For $d = 3$, the Type II, $\ell = 4$, LDPC constraint graph as shown in Fig. 5 corresponds to the $(2, 2)$ -finite-generalized-quadrangles-based LDPC (FGQ-LDPC) code of [25];

TABLE II
THE FUNCTION f FOR THE TYPE II $\ell = 4$ CONSTRUCTION

p	s	elements of $GF(p^s)$	degree $d = p^s + 1$	$f(i, j, k, t)$
2	1	{0, 1}	3	$j + (i + 1) \cdot t$
2	2	{0, 1, α, α^2 }	5	$j + g(i) \cdot t$
3	1	{0, 1, 2}	4	$i \cdot (k + 2 \cdot i \cdot t) + j$
3	2	{0, 1, α, \dots, α^7 }	10	$i \cdot (k + \alpha \cdot i \cdot t) + j$
5	1	{0, 1, 2, 3, 4}	6	$i \cdot (k + 3 \cdot i \cdot t) + j$
7	1	{0, 1, 2, ..., 6}	8	$i \cdot (k + 4 \cdot i \cdot t) + j$

the function f used in constructing this example is defined by $f(i, j, k, t) = j + (i + 1) \cdot t$, i.e., the map defined by the array M_{i+1} . The orthogonal arrays used for constructing this code are

$$M_0 = \begin{bmatrix} 0 & 0 \\ 1 & 1 \end{bmatrix}, \quad M_1 = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}.$$

We now state some results concerning the choice of the function f .

- 1) The Type II $\ell = 4$ construction results in incidence graphs of finite generalized quadrangles for appropriately chosen functions f . These graphs have girth 8 and diameter 4.
- 2) For some specific cases, examples of the function $f(i, j, k, t)$ that resulted in a girth-8 graph is given in Table II. (Note that for the second entry in the table, the function $g : GF(4) \rightarrow GF(4)$ is defined by the following maps: $0 \mapsto 1, 1 \mapsto \alpha, \alpha \mapsto \alpha^2$, and $\alpha^2 \mapsto 0$.) We have not been able to find a general relation or a closed-form expression for f yet.
- 3) For the above set of functions, the resulting Type II $\ell = 4$ LDPC constraint graphs have minimum distance meeting the tree bound, when $p = 2$, i.e., $d_{\min} = w_{\min} = 2(2^s + 1)$. We conjecture that, in general, for degrees $d = 2^s + 1$,




Fig. 6. Performance of Type I-B versus random LDPC codes on the BIAWGNC with sum-product iterative decoding.

the Type II $\ell = 4$ girth-8 LDPC constraint graphs have $d_{\min} = w_{\min} = T(2^s + 1, 8) = 2(2^s + 1)$.

- 4) For degrees $d = p^s + 1, p > 2$, we expect the corresponding p -ary LDPC codes from this construction to have minimum distances d_{\min} either equal or very close to the tree bound. Hence, we also expect the corresponding minimum pseudocodeword weight w_{\min} to be close to d_{\min} .

The above results were verified using MAGMA and computer simulations.

D. Remarks

It is well known in the literature that finite generalized polygons (or N -gons) of order p^s exist [15]. A finite generalized N -gon is a nonempty point-line geometry, and consists of a set \mathcal{P} of points and a set \mathcal{L} of lines such that the incidence graph of this geometry is a bipartite graph of diameter N and girth $2N$. Moreover, when each point is incident on $t + 1$ lines and each line contains $t + 1$ points, the order of the N -gon is said to be t . The Type II $\ell = 3$ and $\ell = 4$ constructions yield finite generalized 3-gons and 4-gons, respectively, of order p^s . These are essentially finite projective planes and finite generalized quadrangles. The Type II construction can be similarly extended to larger ℓ . We believe that finding the right connections for connecting the nodes between the last layer in T and the final layer will yield incidence graphs of these other finite generalized polygons. For instance, for $\ell = 6$ and $\ell = 8$, the construction can yield finite generalized hexagons and finite generalized octagons, respectively. We conjecture that the incidence graphs of generalized N -gons yield LDPC codes with minimum pseudocodeword weight w_{\min} very close to the corresponding minimum distance d_{\min} and particularly, for generalized N -gons of order 2^s , the LDPC codes have $d_{\min} = w_{\min} = T(2^s + 1, 2N)$.

V. SIMULATION RESULTS

A. Performance of Type I-B and Type II LDPC Codes With Sum-Product Iterative Decoding

Figs. 6–8 show the performance of the Type I-B, Type II $\ell = 3$, and Type II $\ell = 4$, respectively, LDPC codes over the binary-input AWGN channel (BIAWGNC) with sum-product iterative decoding, as a function of the channel signal-to-noise ratio (SNR) E_b/N_o . The performance of regular or semi-regular randomly constructed LDPC codes of comparable rates and block lengths are also shown. (All of the random LDPC codes compared in this paper have a variable node degree of three and are constructed from the online LDPC software available at <http://www.cs.toronto.edu/~radford/ldpc.software.html>.) The performance is shown only for a few codes from each construction. The main observation from these performance curves is that the tree-based LDPC codes perform relatively much better than random LDPC codes of comparable parameters. A maximum of 200 decoding iterations were performed for block lengths below 4000 and 20 decoding iterations were performed for longer block lengths.

In Fig. 6, we observe that the Type I-B LDPC codes perform comparably to, if not better than, random LDPC codes for all the block lengths simulated. In Fig. 7, we observe that the Type II $\ell = 3$ LDPC codes perform relatively much better than their random counterparts for block lengths below 1000, whereas at the longer block lengths, the random codes perform better than the Type II codes in the waterfall region. Fig. 8 shows a similar trend in performance of Type II $\ell = 4$ (girth-8) LDPC codes.

Note that the simulation results for sum-product decoding correspond to the case when the LDPC codes resulting from constructions Type I and Type II are treated as binary LDPC




Fig. 7. Performance of Type II $\ell = 3$ versus random LDPC codes on the BIAWGNC with sum-product iterative decoding.




Fig. 8. Performance of Type II $\ell = 4$ versus random LDPC codes on the BIAWGNC with sum-product iterative decoding.

codes for all choices of degree $d = p^s$ or $d = p^s + 1$. We will now examine the performance when the codes are treated as p -ary codes if the corresponding degree in the LDPC constraint graph is $d = p^s$ (for Type I-B) or $d = p^s + 1$ (for Type II). (Note that this will affect only the performances of those codes for which p is not equal to 2.)

B. Performance of p -ary Type I-B and Type II LDPC Codes Over the p -ary Symmetric Channel

We examine the performance of the p -ary LDPC codes obtained from the Type I-B and Type II constructions on the p -ary symmetric channel instead of the AWGN channel. The p -ary symmetric channel is shown in Fig. 3. An error occurs

with probability ϵ , the channel transition probability. Figs. 9–11 show the performance of Type I-B, Type II $\ell = 3$ and Type II $\ell = 4$, 3-ary LDPC codes, respectively, on the 3-ary-symmetric channel with sum-product iterative decoding. A maximum of 200 sum-product decoding iterations were performed. The parity-check matrices resulting from the the Type I-B and Type II constructions are considered to be matrices over the field $\text{GF}(3)$ and sum-product iterative decoding is implemented as outlined in [3]. The corresponding plots show the information symbol error rate as a function of the channel transition probability ϵ . In Fig. 9, the performance of 3-ary Type I-B LDPC codes obtained for degrees $d = 3$, $d = 3^2$, and $d = 3^3$, is shown and compared with the performance of random 3-ary




Fig. 9. Performance of Type I-B versus random 3-ary LDPC codes on the 3-ary symmetric channel with sum-product iterative decoding.

LDPC codes of comparable rates and block lengths. (To make a fair comparison, the random LDPC codes also have only zeros and ones as entries in their parity-check matrices. It has been observed in [3] that choosing the nonzero entries in the parity-check matrices of nonbinary codes cleverly can yield some performance gain, but this avenue was not explored in these simulations.) In Fig. 10, the performance of 3-ary Type II $\ell = 3$ (girth six) LDPC codes obtained for degrees $d = 3 + 1, d = 3^2 + 1$, and $d = 3^3 + 1$, is shown and compared with random 3-ary LDPC codes. Fig. 11 shows the analogous performance of 3-ary Type II $\ell = 4$ (girth-8) LDPC codes obtained for degrees $d = 3 + 1$ and $d = 3^2 + 1$. In all these plots, it is seen that the tree-based constructions perform comparably or better than random LDPC codes of similar rates and block lengths. (In some cases, the performance of the tree-based constructions is significantly better than that of random LDPC codes (example, Fig. 11).)

The simulation results show that the tree-based constructions yield LDPC codes with a wide range of rates and block lengths that perform very well with iterative decoding.

VI. CONCLUSION

The Type I construction yields a family of LDPC codes that, to the best of our knowledge, do not correspond to any of the LDPC codes obtained from finite geometries or other geometrical objects. It would be interesting to extend the

Type II construction to more layers as described at the end of Section V, and to extend the Type I-A construction by relaxing the girth condition. In addition, these codes may be amenable to efficient tree-based encoding procedures. A definition for the pseudocodeword weight of p -ary LDPC codes on the p -ary symmetric channel was also derived, and an extension of the tree bound in [9] was obtained. This led to a useful interpretation of the tree-based codes, including the projective geometry LDPC codes, for $p > 2$. The tree-based constructions presented in this paper yield a wide range of codes that perform well when decoded iteratively, largely due to the maximized minimum pseudocodeword weight. While the tree-based constructions are based on pseudocodewords that arise from the graph-cover's polytope of [11] and aim to maximize the minimum pseudocodeword weight of pseudocodewords in this set, they do not consider all pseudocodewords arising on the iterative decoder's computation tree [26]. Nonetheless, having a large minimal pseudocodeword weight in this set necessarily brings the performance of iterative decoding of the tree-based codes closer to the ML performance. However, it would be interesting to find other design criteria that account for pseudocodewords arising on the decoder's computation tree.

Furthermore, since the tree-based constructions have the minimum pseudocodeword weight and the minimum distance close to the tree bound, the overall minimum distance of these codes is relatively small. While this is a first step in constructing LDPC codes having the minimum pseudocodeword




Fig. 10. Performance of Type II $\ell = 3$ versus random 3-ary LDPC codes on the 3-ary symmetric channel with sum-product iterative decoding.

weight w_{\min} equal/almost equal to the minimum distance d_{\min} , constructing codes with larger minimum distance, while still maintaining $d_{\min} = w_{\min}$, remains a challenging problem.

APPENDIX

A. Pseudocodeword Weight for p -ary LDPC Codes on the p -ary Symmetric Channel

Suppose the all-zero codeword is sent across a p -ary symmetric channel and the vector $\mathbf{r} = (r_0, r_1, \dots, r_{n-1})$ is received. Then errors occur in positions where $r_i \neq 0$. Let $S = \{i | r_i \neq 0\}$ and let $S^c = \{i | r_i = 0\}$. The distance between \mathbf{r} and a pseudocodeword F is defined as

$$d(\mathbf{r}, F) = \sum_{i=0}^{n-1} \sum_{k=0}^{p-1} \chi(r_i \neq k) f_{i,k} \quad (2)$$

where $\chi(P)$ is an indicator function that is equal to 1 if the proposition P is true and is equal to 0 otherwise.

The distance between \mathbf{r} and the all-zero codeword $\mathbf{0}$ is

$$d(\mathbf{r}, \mathbf{0}) = \sum_{i=0}^{n-1} \chi(r_i \neq 0)$$

which is the Hamming weight of \mathbf{r} and can be obtained from (2).

The iterative decoder chooses in favor of F instead of the all-zero codeword $\mathbf{0}$ when $d(\mathbf{r}, F) \leq d(\mathbf{r}, \mathbf{0})$. That is, if

$$\sum_{i \in S^c} (1 - f_{i,0}) + \sum_{i \in S} (1 - f_{i,r_i}) \leq \sum_{i \in S} 1.$$

The condition for choosing F over the all-zero codeword reduces to

$$\left\{ \sum_{i \in S^c} (1 - f_{i,0}) \leq \sum_{i \in S} f_{i,r_i} \right\}.$$

Hence, we define the weight of a pseudocodeword F in the following manner.

Let e be a number such that the sum of the e largest components in the matrix F' , say, $f_{i_1, j_1}, f_{i_2, j_2}, \dots, f_{i_e, j_e}$, exceeds $\sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0})$. Then the weight of F on the p -ary symmetric channel is defined as shown at the bottom of the following page. Note that in the definition at the bottom of the following page, none of the j_k 's, for $k = 1, 2, \dots, e$, are equal to zero, and all the i_k 's, for $k = 1, 2, \dots, e$, are distinct. That is, we choose at most one component in every row of F' when picking the e largest components. The received vector $\mathbf{r} = (r_0, r_1, \dots, r_{n-1})$ that has the following components: $r_{i_1} = j_1, r_{i_2} = j_2, \dots, r_{i_e} = j_e, r_i = 0$, for $i \notin \{i_1, i_2, \dots, i_e\}$, will cause the decoder to make an error and choose F over the all-zero codeword.




Fig. 11. Performance of Type II $\ell = 4$ versus random 3-ary LDPC codes on the 3-ary symmetric channel with sum-product iterative decoding.




Fig. 12. Single constraint code. $(1 - f_{i,0}) \leq \sum_{j \neq i} (1 - f_{j,0})$.

B. Proof of Lemma 3.6

Proof: Case: $\frac{q}{2}$ odd. Consider a single constraint node with r variable node neighbors as shown in Fig. 12. Then, for $i = 0, 1, \dots, r - 1$ and $k = 0, 1, \dots, p - 1$, the following inequality holds:

$$f_{i,k} \leq \sum_{j \neq i} \sum_{\sigma_j: \sum_{\sigma_j+k=0 \pmod p} \sigma_j} \frac{f_{j,\sigma_j} \sigma_j}{\sum \sigma_j}$$

where the middle summation is over all possible assignments $\sigma_j \in \{0, 1, \dots, p - 1\}$ to the variable nodes $j \neq i$ such that $k + \sum_{j \neq i} \sigma_j = 0 \pmod p$, i.e., this is a valid assignment for the




Fig. 13. Local tree structure for a d -left regular graph. $d(1 - f_{0,0}) \leq \sum_{j \in L_0} (1 - f_{j,0})$, $d(d - 1)(1 - f_{0,0}) \leq \sum_{j \in L_1} (1 - f_{j,0})$.

constraint node. The innermost summation in the denominator is over all $j \neq i$.

$$w_{PSC}(F) = \begin{cases} 2e, & \text{if } f_{i_1,j_1} + \dots + f_{i_e,j_e} = \sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0}) \\ 2e - 1, & \text{if } f_{i_1,j_1} + \dots + f_{i_e,j_e} > \sum_{i \neq i_1, i_2, \dots, i_e} (1 - f_{i,0}). \end{cases}$$

TABLE III
SUMMARY OF TYPE I-A CODE PARAMETERS

No. of layers in T ℓ	block length n	degree $d = 3$	dimension	rate	d_{\min}	w_{\min}	tree lower-bound	girth g	diameter δ
3	10	3	4	0.4000	4	4	4	6	5
4	22	3	4	0.1818	8	8*	6	8	7
5	46	3	10	0.2173	10	10	10	10	9
6	94	3	14	0.1489	20	20*	18	12	11
7	190	3	25	0.1315	24	≥ 18	18	12	13

TABLE IV
SUMMARY OF TYPE I-B CODE PARAMETERS

p	s	block length $n = p^{2s} + 1$	degree $d = p^s$	dimension	rate	d_{\min}	w_{\min}	tree lower-bound	girth g	diameter δ	code alphabet
2	1	5	2	1	0.2000	5	5	4	8	4	binary
3	1	10	3	3 (2)	.3000 (0.2000)	4 (6)	4 ()	4	6	5	binary 3-ary
2	2	17	4	5	0.2941	6	6*	5	6	5	binary
5	1	26	5	7 (7)	0.2692 (0.2692)	8 (10)	8* ()	6	6	5	binary 5-ary
7	1	50	7	11 (16)	0.2200 (0.3200)	12 (15)	12* ()	8	6	5	binary 7-ary
2	3	65	8	31	0.4769	10	10*	9	6	5	binary
3	2	82	9	15 (38)	0.1829 (0.4634)	16 (15)	≥ 10 ()	10	6	5	binary 3-ary
11	1	122	11	19 (46)	0.1557 (0.3770)	20* (30*)	≥ 12 ()	12	6	5	binary 11-ary
2	4	257	16	161	0.6264	20*	≥ 17	17	6	5	binary
5	2	626	25	47 (377)	0.075 (0.6022)	48* (90*)	≥ 26 ()	26	6	5	binary 5-ary
3	3	730	27	51 (488)	0.0698 (0.6684)	52* (60*)	≥ 28 ()	28	6	5	binary 3-ary
2	5	1025	32	751	0.7326	40*	≥ 33	33	6	5	binary
7	2	2404	49	95 (1572)	0.0395 (0.6536)	96* (216*)	≥ 50 ()	50	6	5	binary 7-ary

However, for $i = 0, 1, \dots, r - 1$, the following (weaker) inequality also holds:

$$(1 - f_{i,0}) \leq \sum_{j \neq i} (1 - f_{j,0}) \quad (3)$$

Now let us consider a d -left regular LDPC constraint graph representing a p -ary LDPC code. We will enumerate the LDPC constraint graph as a tree from an arbitrary root variable node, as shown in Fig. 13. Let F be a pseudocodeword matrix for this graph. Without loss of generality, let us assume that the component $(1 - f_{0,0})$ corresponding to the root node is the maximum among all $(1 - f_{i,0})$ over all i .

Applying the inequality in (3) at every constraint node in first constraint node layer of the tree, we obtain

$$d(1 - f_{0,0}) \leq \sum_{j \in L_0} (1 - f_{j,0})$$

where L_0 corresponds to variable nodes in first level of the tree. Subsequent application of the inequality in (3) to the second layer of constraint nodes in the tree yields

$$d(d-1)(1 - f_{0,0}) \leq \sum_{j \in L_1} (1 - f_{j,0}).$$

Continuing this process until layer $L_{\frac{q-6}{4}}$, we obtain

$$d(d-1)^{\frac{q-6}{4}}(1 - f_{0,0}) \leq \sum_{j \in L_{\frac{q-6}{4}}} (1 - f_{j,0}).$$

Since the LDPC graph has girth g , the variable nodes up to level $L_{\frac{q-6}{4}}$ are all distinct. The above inequalities yield

$$\begin{aligned} [1 + d + d(d-1) + \dots + d(d-1)^{\frac{q-6}{4}}](1 - f_{0,0}) \\ \leq \sum_{i \in \{0\} \cup L_0 \cup \dots \cup L_{\frac{q-6}{4}}} (1 - f_{i,0}) \leq \sum_{\text{all } i} (1 - f_{i,0}). \quad (4) \end{aligned}$$

TABLE V
SUMMARY OF TYPE II, $\ell = 3$, CODE PARAMETERS

p	s	block length $n = 1 + p^s + p^{2s}$	degree $d = p^s + 1$	dimension	rate	d_{\min}	w_{\min}	tree lower-bound	girth g	diameter δ	code alphabet
2	1	7	3	3	0.4285	4	4	4	6	3	binary
3	1	13	4	1 (6)	0.0769 (0.4615)	13 (6)	6* ()	5	6	3	binary 3-ary
2	2	21	5	11	0.5238	6	6	6	6	3	binary
5	1	31	6	1 (15)	0.0322 (0.4838)	31 (10*)	10* ()	7	6	3	binary 5-ary
7	1	57	8	1 (28)	0.017 (0.4912)	57 (14*)	16* ()	9	6	3	binary 7-ary
2	3	73	9	45	0.6164	10	10	10	6	3	binary
3	2	91	10	1 (54)	0.0109 (0.5934)	91 (15*)	≥ 11 ()	11	6	3	binary 3-ary
2	4	273	17	191	0.6996	18	18	18	6	3	binary
5	2	651	26	1 (425)	0.0015 (0.6528)	651 (56*)	≥ 27 ()	27	6	3	binary 5-ary

TABLE VI
SUMMARY OF TYPE II, $\ell = 4$, CODE PARAMETERS

p	s	block length $n=1+p^s+p^{2s}+p^{3s}$	degree $d=p^s+1$	dimension	rate	d_{\min}	w_{\min}	tree lower-bound	girth g	diameter δ	code alphabet
2	1	15	3	5	0.3333	6	6	6	8	4	binary
3	1	40	4	15 (15)	0.3750 (0.3750)	10 (10*)	≥ 8 ()	8	8	4	binary 3-ary
2	2	85	5	35	0.4117	10	10	10	8	4	binary
5	1	156	6	65 (65)	0.4167 (0.4167)	20* (26*)	≥ 12 ()	12	8	4	binary 5-ary
7	1	400	8	175 (175)	0.4375 (0.4375)	66* (119*)	≥ 16 ()	16	8	4	binary 7-ary
2	3	585	9	287	0.4905	18	18	18	8	4	binary
3	2	820	10	369 (395)	0.4500 (0.4817)	112* (96*)	≥ 20 ()	20	8	4	binary 3-ary

Let e be the smallest number such that there are e maximal components $f_{i_1, j_1}, f_{i_2, j_2}, f_{i_3, j_3}, \dots, f_{i_e, j_e}$, for i_1, i_2, \dots, i_e all distinct and $j_1, j_2, \dots, j_e \in \{1, 2, \dots, p-1\}$, in F' (the submatrix of F excluding the first column in F) such that

$$f_{i_1, j_1} + f_{i_2, j_2} + \dots + f_{i_e, j_e} \geq \sum_{i \notin \{i_1, i_2, i_3, \dots, i_e\}} (1 - f_{i,0}).$$

Then, since none of the j_k 's, $k = 1, 2, \dots, e$, are zero, we clearly have

$$(1 - f_{i_1,0}) + (1 - f_{i_2,0}) + \dots + (1 - f_{i_e,0}) \geq f_{i_1, j_1} + f_{i_2, j_2} + \dots + f_{i_e, j_e} \geq \sum_{i \notin \{i_1, i_2, i_3, \dots, i_e\}} (1 - f_{i,0}).$$

Hence, we have that

$$2((1 - f_{i_1,0}) + (1 - f_{i_2,0}) + \dots + (1 - f_{i_e,0})) \geq \sum_{\text{all } i} (1 - f_{i,0}).$$

We can then lower-bound this further using the inequality in (4) as

$$2((1 - f_{i_1,0}) + (1 - f_{i_2,0}) + \dots + (1 - f_{i_e,0})) \geq [1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-6}{4}}](1 - f_{0,0}).$$

Since we assumed that $(1 - f_{0,0})$ is the maximum among $(1 - f_{i,0})$ over all i , we have

$$2e(1 - f_{0,0}) \geq 2((1 - f_{i_1,0}) + (1 - f_{i_2,0}) + \dots + (1 - f_{i_e,0})) \geq [1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-6}{4}}](1 - f_{0,0})$$

This yields the desired bound

$$w_{\text{PSC}}(F) = 2e \geq 1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-6}{4}}.$$

Since the pseudocodeword F was arbitrary, we also have $w_{\min} \geq 1 + d + d(d-1) + \dots + d(d-1)^{\frac{g-6}{4}}$. The case $\frac{g}{2}$ even is treated similarly. \square

C. Tables of Code Parameters

The code parameters resulting from the tree-based constructions are summarized in Tables III–VI. Note that * indicates an upper bound instead of the exact minimum distance (or minimum pseudocodeword weight) since it was computationally hard to find the distance (or pseudoweight) for those cases. Similarly, for cases where it was computationally hard to get any reasonable bound the minimum pseudocodeword weight, the corresponding entry in the table is left empty. The lower bound on w_{\min} seen in the tables corresponds to the tree bound (Theorem 1.2). It is observed that when the codes resulting from the construction are treated as p -ary codes rather than binary codes when the corresponding degree in the LDPC graph is $d = p^s$ (for Type I-B) or $d = p^s + 1$ (for Type II), the resulting rates obtained are much better; we also believe that the minimum pseudocodeword weights (on the p -ary symmetric channel) are much closer to the minimum distances for these p -ary LDPC codes.

REFERENCES

- [1] N. L. Biggs, "Construction for cubic graphs of large girths," *Electron. J. Comb.*, vol. 5, 1998.
- [2] R. C. Bose, "On the application of the properties of Galois fields to the problem of construction of Hyper-Graceo-Latin squares," *Sankhyā*, pp. 323–338, 1938.
- [3] M. C. Davey, "Error-correction using low-density parity-check codes," Ph.D. dissertation, Cambridge Univ., Cambridge, U.K., 1999.
- [4] M. C. Davey and D. J. C. MacKay, "Low density parity check codes over GF(q)," *IEEE Commun. Lett.*, vol. 2, no. 6, pp. 159–166, Jun. 1998.
- [5] C. Di, D. Proietti, I. E. Teletar, T. Richardson, and R. Urbanke, "Finite-length analysis of low-density parity-check codes on the binary erasure channel," *IEEE Trans. Inf. Theory*, vol. 48, no. 2, pp. 1570–1579, Feb. 2002.
- [6] G. D. Forney Jr., R. Koetter, F. Kschischang, and A. Reznik, "On the effective weights of pseudocodewords for codes defined on graphs with cycles," in *Codes, Systems and Graphical Models*, B. Marcus and J. Rosenthal, Eds. New York: Springer-Verlag, 2001, IMA, vol. 123, pp. 101–112.
- [7] J. Han and P. H. Siegel, "Improved upper bounds on stopping redundancy," *IEEE Trans. Inf. Theory* vol. 53, no. 1, pp. 90–107, Jan. 2007 [Online]. Available: <http://arxiv.org/abs/cs/0511056>
- [8] N. Kashyap and A. Vardy, "Stopping sets in codes from designs," in *Proc. IEEE Int. Symp. Information Theory*, Yokohama, Japan, Jun./Jul. 2003, p. 122.
- [9] C. A. Kelley and D. Sridhara, "Pseudocodewords of Tanner graphs," *IEEE Trans. Inf. Theory*, submitted for publication.
- [10] C. A. Kelley, D. Sridhara, J. Xu, and J. Rosenthal, "Pseudocodeword weights and stopping sets," in *Proc. IEEE Int. Symp. Information Theory*, Chicago, IL, Jun./Jul. 2004, p. 150.
- [11] R. Koetter and P. O. Vontobel, "Graph-covers and iterative decoding of finite length codes," in *Proc. IEEE Int. Symp. Turbo Codes and Applications*, Brest, France, Sep. 2003, pp. 75–82.
- [12] Y. Kou, S. Lin, and M. P. C. Fossorier, "Low-density parity-check codes based on finite geometries: A rediscovery and new results," *IEEE Trans. Inf. Theory*, vol. 47, no. 7, pp. 2711–2736, Nov. 2001.
- [13] *MAGMA Software*, [Online]. Available: <http://magma.maths.usyd.edu>.
- [14] R. L. Graham and F. J. MacWilliams, "On the number of information symbols in difference-set cyclic codes," *Bell Labs Tech. J.*, vol. 45, pp. 1057–1070, 1966.
- [15] H. van Maldeghem, *Generalized Polygons*. Basel, Switzerland: Birkhäuser, 1998.
- [16] F. S. Roberts, *Applied Combinatorics*. Englewood Cliffs, NJ: Prentice-Hall, 1984.
- [17] L. Rudolph, "A class of majority logic decodable codes," *IEEE Trans. Inf. Theory*, vol. IT-13, no. 2, pp. 305–307, Apr. 1967.
- [18] D. Sridhara and T. E. Fuja, "LDPC codes over rings for PSK-modulation," *IEEE Trans. Inf. Theory*, vol. 51, no. 9, pp. 3209–3220, Sep. 2005.
- [19] H. Tang, J. Xu, S. Lin, and K. A. S. Abdel Ghaffar, "Codes on finite geometries," *IEEE Trans. Inf. Theory*, vol. 51, no. 2, pp. 572–596, Feb. 2005.
- [20] R. M. Tanner, "A recursive approach to low complexity codes," *IEEE Trans. Inf. Theory*, vol. IT-27, no. 5, pp. 533–547, Sep. 1981.
- [21] J. H. van Lint and R. M. Wilson, *A Course in Combinatorics*, 2nd ed. Cambridge, U.K.: Cambridge Univ. Press, 2001.
- [22] J. Rosenthal and P. O. Vontobel, "Constructions of LDPC codes using Ramanujan graphs and ideas from Margulis," in *Proc. 38th Allerton Conf. Communication, Control, and Computing*, Monticello, IL, 2000, pp. 248–257.
- [23] M. Schwartz and A. Vardy, "On the stopping distance and the stopping redundancy of codes," *IEEE Trans. Inf. Theory*, vol. 52, no. 3, pp. 922–932, Mar. 2006.
- [24] R. M. Tanner, D. Sridhara, A. Sridharan, D. J. Costello Jr., and T. E. Fuja, "LDPC block and convolutional codes based on circulant matrices," *IEEE Trans. Inf. Theory*, vol. 50, no. 12, pp. 2966–2984, Dec. 2004.
- [25] P. O. Vontobel and R. M. Tanner, "Construction of codes based on finite generalized quadrangles for iterative decoding," in *Proc. IEEE Int. Symp. Information Theory*, Washington, DC, Jun. 2001, p. 223.
- [26] N. Wiberg, "Codes and decoding on general graphs," Ph.D. dissertation, Linköping Univ., Linköping, Sweden, 1996.